

# (12) United States Patent

## (10) Patent No.:

## US 6,184,378 B1

## Böhm et al.

(45) Date of Patent:

Feb. 6, 2001

## (54) 1,7-DISUBSTITUTED PERYLENE-3,4,9,10-TETRACARBOXYLIC ACIDS, THEIR DIANHYDRIDES AND DIIMIDES

(75) Inventors: Arno Böhm, Mannheim; Harald Arms,

Worms; Georg Henning; Peter Blaschka, both of Ludwigshafen, all of

Assignee: BASF Aktiengesellschaft,

Ludwigshafen (DE)

Notice: Under 35 U.S.C. 154(b), the term of this

patent shall be extended for 0 days.

(21) Appl. No.: 09/404,534

Sep. 24, 1999 (22) Filed:

## Related U.S. Application Data

Division of application No. 09/091,263, filed as application No. PCT/EP96/05525 on Dec. 11, 1996.

#### (30)Foreign Application Priority Data

Dec	. 18, 1995 (DE) .	195 47 210
(51)	Int. Cl. <sup>7</sup>	<b>C07D 471/06</b> ; C09B 5/62;
		C09B 67/20
(52)	U.S. Cl	<b>546/37</b> ; 106/241; 106/287.21;
` ′		106/401; 106/499; 524/90; 8/568
(58)	Field of Search	546/37; 106/287.21,

#### (56)References Cited

## U.S. PATENT DOCUMENTS

4,431,806	2/1984	Spietschka et al 546/37
4,496,731	1/1985	Spietschka et al 546/37
4,667,036	5/1987	Iden et al 546/37
5,248,774	9/1993	Dietz et al 544/125
5,677,417	10/1997	Muellen et al 528/310

106/286.8, 401, 499, 241; 8/568; 524/90

## FOREIGN PATENT DOCUMENTS

412122	4/1925	(DE).
0 039 912	11/1981	(EP).
0 227 980	7/1987	(EP).
967178	8/1964	(GB) .
WO 94/25504	11/1994	(WO).

### OTHER PUBLICATIONS

Rohr, U. et al.: Liquid crystalline coronene derivatives with extraordinary fluorescence properties. Angew. Chem. Int. Ed. vol. 37, pp. 1434-1437, 1998.\*

Abstract No. 23496v, V.I. Rogovik et al, "Chemistry of perylene. Halo derivatives of 3,4,9,10-perylenetetracarboxylic acid.", Jan. 16, 1989, vol. 110, No. 3, p. 513, col. 2.

\* cited by examiner

Primary Examiner—Charanjit S. Aulakh (74) Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt, P.C.

#### (57)**ABSTRACT**

A 1,7-disubstituted perylene-3,4,9,10-tetracarboxylic diimide of the general formula VI

VI

$$X^1$$
 $X^2$ 
 $X^2$ 
 $X^2$ 

where

X<sup>1</sup> and X1 re independently bromine or —L—R, where L is 1,2-ethylene, 1,2-ethenylene or 1,2-ethynylene and R is hydrogen or C<sub>1</sub>-C<sub>30</sub>-alkyl whose carbon chain can be interrupted by one or more groups —O—, —S—, -NR<sup>3</sup>-, -CO- and/or -SO<sub>2</sub>- and/or which can be substituted one or more times by —COOR3, —SO<sub>3</sub>R<sup>3</sup>, hydroxyl, cyano, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>5</sub>-C<sub>8</sub>cycloalkyl or aryl or by a 5- to 7-membered heterocyclic radical which is attached via a nitrogen atom and can include further heteroatoms and/or can be aromatic, R<sup>3</sup> being hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl.

## 7 Claims, No Drawings